

eye  vacTM
TOUCHLESS VACUUM



User Manual

IMPORTANT SAFETY INSTRUCTIONS

This electrical appliance must always be used according to the following safety instructions. Save these instructions as this manual contains important safety and operating information. A copy of the user manual can also be found on our website at <https://eyevac.com/faq/#manuals>. When using an electrical appliance, basic precaution should always be followed, including the following:

READ ALL INSTRUCTIONS CAREFULLY BEFORE USING THIS APPLIANCE:

To reduce the risk of fire, electric shock or injury:

1. Always unplug the appliance when unattended or not in use.
2. Give electrical items space. Do not have any additional items too close to an electrical item.
3. Use electricity safely – unplug item if any malfunction is detected.
4. Regularly empty the canister of hair and debris.
5. Plug the appliance directly into a properly installed outlet. Do not use extension cords, surge protectors, adapters or converters.
6. Always depress the Power Button to the Off position before unplugging EyeVac Home.
7. Always unplug the appliance before cleaning or servicing it. Do not unplug by pulling the cord; to unplug, grasp the plug, not the cord.
8. Do not let the EyeVac Home be used as a toy. Close attention is necessary when used near children. Do not use in Auto Mode or leave appliance plugged in near children, infants or small animals.
9. Do not pull or carry the appliance by the cord. Do not run the appliance over the cord, close a door on the cord, or pull the cord around sharp edges or corners. Keep the cord away from heated surfaces.
10. Do not use the appliance if the cord or plug is damaged. Regularly inspect the appliance for damage.
11. Do not handle the plug or appliance with wet hands or use on wet surfaces. Do not expose to rain.
12. Do not use appliance to dispose of water or damp materials such as mud, tile grout, plaster filler, or caulking. Do not use to pick up any liquid or wet objects.
13. Do not use appliance to vacuum up flammable or combustible liquids, such as gasoline. Do not use in areas where these liquids may be present.
14. Do not use this appliance to vacuum up burning or smoking materials, such as cigarettes, matches or hot ashes.
15. Keep hair, loose clothing, and all parts of the body, especially fingers, away from openings and moving parts.
16. Do not put any objects into appliance openings or use with any openings blocked or plugged.
17. Do not use this appliance to pick up hard or sharp objects or other large surface litter. Pick these up by hand before vacuuming.
18. Use the appliance only as described in this User Manual.
19. Turn EyeVac off and unplug before removing or replacing the Canister or Filter.
20. If the appliance is not working as it should, visit <https://eyevac.com/connect/> and fill out the "Service Request" form. Do NOT attempt to repair, as it will invalidate your warranty.
21. When cleaning the outside of the appliance, wipe with a damp cloth to reduce the static electricity on the outer surface.
22. Other than cleaning the Pre-Motor Filter, Exhaust Filter and Vent Filter, replacing them as described in this Owner Manual, this EyeVac Home is not user serviceable. There are no user serviceable parts inside the unit. Servicing is required by JPPaulJones, LP to avoid damage to internal components.
23. Do not operate without all Filters, Canister, and Lid properly in place.
24. EyeVac Home is appropriate and warranted for HOME USE ONLY.

WARNING! To reduce the risk of electric shock, do not use on wet surfaces. Do not expose to rain. Store indoors

DESCRIPTION OF EYEVAC HOME

Save These Instructions
For Household Use Only



1. Canister Lid

2. Inlet

3. Sensors

4. Exhaust Filter Housing

5. Power

6. Auto Mode

7. Manual Mode

8. Canister Full Indicator

9. Manual Activation

10. Canister Tabs

11. Canister

12. Pre-Motor Filter

13. Exhaust Filter

14. Vent Filter

15. Serial Number (located on back of unit)

BEFORE USING FOR THE FIRST TIME

1. Remove EyeVac Home from packaging and set upright on any non-carpeted flooring. Remove packing tape from Exhaust Filter on the side of the unit.
2. Plug unit into any standard 120V(US) AC electrical outlet.

NOTE: EYEVAC HOME CANNOT BE USED WITH A CONVERTER OR ADAPTER

3. Depress the Power Button to the Manual position for manual operation or to the Auto position for automated use. The status Indicator Light will illuminate when the Power Button is in either of these positions. Your EyeVac Home is now ready for use.
4. EyeVac Home is appropriate and warrantied for HOME USE ONLY.

OPERATING THE VACUUM: INSTRUCTIONS

NOTE: EYEVAC HOME cannot operate when in the OFF position, or when filters/canister is out of alignment.

1



Open the Canister and ensure the Pre-Motor Filter is aligned properly locked into place and flush with the Canister Lid. Then close the canister.

2



Plug in your EyeVac Home in the desired location.

3

Press Power Button to either indicate **Manual** or **Auto** modes



Press Power Button located on top of unit. A blue Indicator light illuminates to show EyeVac Home is On. Press Power Button to cycle between Auto and Manual Modes.


4



Sweep debris over to the EyeVac Home. If in Auto Mode, the sensor will detect sweeping motion and automatically vacuum debris. If in Manual Mode, simply press the Activate Button, located on the control panel, to manually activate.

5

TIME TO EMPTY



As debris accumulates, the Canister will need to be emptied. The Canister Indicator Light lets you know when it's time to empty.

USER MAINTENANCE INSTRUCTIONS

1. To empty the EyeVac Home Canister, press the Power Button to the Off position and unplug the unit.
2. Pull the Canister outward from the front of the Bin Cavity. Grasp the Canister Grip firmly and lift it out and away from the EyeVac Home Main Unit.
3. Holding the Canister firmly with one hand, grasp the Canister Lid Handle with the other hand and pull the Lid straight up and out to remove.
4. Turn the Canister upside down over a trash can. Make sure you empty all dirt and debris from inside and below the Bin. To ensure that all the dirt spills out, tap the side of the Canister gently against the edge of the trash can. Re-attach the Canister Lid to the top of the Canister.
5. Clean Sensors, Inlet area, Canister, Canister Lid and Canister Cavity with a damp rag or towel. Do not use soap or alcohol to clean sensors.
6. After all parts are fully dried, insert the assembled Canister with Lid fitted snugly into position and Pre-Motor Filter locked into place and flush with Canister Lid. The 2 grooves in the bottom of the Bin fit easily over the rod in the front of the unit. Grasp the Canister Grip and lock the Canister back into position.

NOTE: Make sure all parts are completely dry before reassembly.

NOTE: Do not throw away the Canister Lid.

HEALTH TIP: If you suffer from allergies or asthma, take the Canister outdoors to empty. As you empty the dirt into the trash can, gently tap the Canister against the side of the can to remove loose debris.

CLEANING THE PRE-MOTOR FILTER

To maintain optimal performance, the Pre-Motor Filter will need cleaning whenever the suction is not strong. The Pre-Motor Filter must be clean and free of elements, which might hinder the flow of air.

1. Press the Power Button to the Off position and unplug the unit.
2. Pull the Canister outward from the front of the Bin Cavity. Grasp the Canister Grip firmly and lift it out and away from the EyeVac Home Main Unit. Locate the Pre-Motor Filter Handle.
3. Remove the Pre-Motor Filter by grasping the Filter Handle and turn counter-clockwise to the unlock position. Pull Filter straight up and out of the top of the Canister. Rinse under running water to clean. If needed a mild soap and soft bristled brush can also be used.

IMPORTANT! Dry thoroughly before use.

4. Slide the Pre-Motor Filter back into the top of the Canister. Rotate clockwise to the "lock" position. Put the Canister back into place.

Note: If cleaning the filter does not restore it to the original state, get a replacement at eyevac.com/accessories. Make sure that it fits snugly in the Filter Holder.

IMPORTANT! NEVER OPERATE THE EYEVAC HOME WITHOUT THE PRE-MOTOR FILTER PROPERLY IN PLACE.

CLEANING THE EXHAUST FILTER

1. Press the Power Button to the Off position and unplug the unit.
2. The Exhaust Filter clips in and out of the side of the unit.
3. Gently pull the Filter out of the Filter Holder.
4. Tap Filter gently against trash container to free and eliminate excess dirt and debris.
5. To clean the Filter, wash in mild soap and water; rinse and **dry thoroughly** before assembly
6. Click the Exhaust Filter back into the unit.

Note: If cleaning the filter does not restore it to the original state, get a replacement at eyevac.com/accessories

CLEANING THE VENT FILTER

1. Press the Power Button to the Off position and unplug the unit.
2. Remove the Canister by pulling the top of the Canister outward. The Vent Filter is located underneath it.
3. Pull orange O ring up and away from vent filter gasket to remove.
4. To clean the Filter, wash in mild soap and water; rinse and **dry thoroughly** before assembly.
5. To insert, push orange O ring back into the vent gasket.

Note: If cleaning the filter does not restore it to the original state, get a replacement at eyevac.com/accessories

CLEANING THE CANISTER

The Canister should be washed periodically.

1. Wash the Bin in warm water using a mild soap. Avoid harsh or abrasive cleaners or sponges.
Rinse thoroughly.

TO AVOID DAMAGE, DO NOT PLACE CANISTER IN THE DISHWASHER.

2. Let it air dry. Make sure the Canister is completely dry before putting it back into the EyeVac Home.
3. Insert the assembled Canister following the instructions outlined in the User Manual Instructions

STORAGE

1. Unplug unit and clean Canister and all Filters before storing.
2. Store EyeVac Home indoors, in a clean, dry place.
3. Never store EyeVac Home while it is still plugged in. Never wrap cord tightly around the appliance, use the Cord Storage area on the back of the EyeVac Home unit. Do not put any stress on the cord where it enters the unit, as it could cause the cord to break.

WARNING! TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT USE OUTDOORS OR ON WET SURFACES.

TROUBLESHOOTING

Problem	Possible Cause	Possible Solution
EyeVac Home will not turn On/ no power	<ol style="list-style-type: none"> 1. Not firmly plugged in 2. Unit is in Off position 3. Pre-Motor Filter is not in position 4. Broken switch 	<ol style="list-style-type: none"> 1. Plug in firmly 2. Press Power Button to Manual or Auto position 3. Ensure that Pre-Motor Filter is locked and flush with Canister Lid 4. Remove Canister to check switch inside cavity above where the Pre-Motor Filter is positioned. If switch is broken or missing, fill out a "Service Request Form" at EyeVac.com/connect.
Does not pick up debris	<ol style="list-style-type: none"> 1. The inlet is blocked 2. Container is full 3. Debris may be too large for inlet 	<ol style="list-style-type: none"> 1. Press Power Button to the Off position 2. Clean path of dirt inlet 3. Empty Canister 4. Clear large debris
Sensor does not activate	<ol style="list-style-type: none"> 1. EyeVac Home is not in Auto Mode 	<ol style="list-style-type: none"> 1. Press Power Button to Auto position
Suction not strong	<ol style="list-style-type: none"> 1. Filters may be dirty 	<ol style="list-style-type: none"> 1. Press Power Button to the Off position 2. Clean Pre-Motor, Exhaust Filters or Vent Filter when needed
Status Indicator Light blinking	<ol style="list-style-type: none"> 1. EyeVac Home sensors have been shut off for 30 seconds which caused power to the motor to be shut off 	<ol style="list-style-type: none"> 1. Press Power Button to the Off position 2. Check Pre-Motor Filter and Exhaust Filter to ensure they are clean. 3. Clean sensors with warm water and Q-tip. DO NOT USE ALCOHOL OR SOAP.
Canister Indicator light is On	<ol style="list-style-type: none"> 1. Canister is full 	<ol style="list-style-type: none"> 1. Press Power Button to the Off position 2. Empty the Canister 3. Clean all filters
Debris at Inlet before unit is powered on		<ol style="list-style-type: none"> 1. Press Power Button to the Manual position 2. Activate unit manually

CORRECT DISPOSAL OF THIS PRODUCT



This marking indicates that this product should not be disposed with other household wastes. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources. To return your used device, please use the return and collection systems or contact the retailer where the product was purchased. They can take this product for environmentally safe recycling. This appliance is a dry pick-up, Canister type vacuum cleaner for household and indoor use. Also, it is a general-purpose vacuum cleaner, which can be used for hard floor cleaning.

LIMITED WARRANTY

Two-Year Limited Warranty on Unit / Five-Year Warranty on Parts and Accessories. What is covered: JPaulJones, LP™ warrants to the first retail purchaser of this EyeVac Home that, should this product or any part be proved defective in materials or workmanship from the date of proof of purchase for a period of two (2) years for the unit, and five (5) years for parts and accessories, then it will be subject to the terms of this limited warranty. Such defects will be replaced, or credit issued at JPaulJones, LP's option, without charge for parts or labor directly related to the defect. Limitations and Exclusions: This warranty gives you specific legal rights and you may also have other rights which vary from state to state. This warranty does not apply to any cost incurred for removal or re-installation, or to any product or part thereof which has suffered through normal wear and tear, alteration, improper installation, physical abuse, misuse, neglect or accident. Nor does it cover defects caused by shipment to JPaulJones, LP or repair or service of the product by anyone other than JPaulJones, LP. Damage resulting from an unforeseen circumstance including but not limited to fire, flood, earthquake, and other natural causes will be excluded. This Limited warranty is in lieu of all other warranties, express or implied either in fact or by operations of law, statutory or otherwise, including, but not limited to any implied warranty of merchantability or fitness for a particular use. JPaulJones, LP does not authorize any other person to assume any liability beyond the warranty herein described. In no event, whether based in contract or tort shall be liable for incidental, inconsequential, indirect, special or punitive damages of any kind from the use of this product. In no event shall be liable for damage in excess of the purchase price. EyeVac Home is not for commercial use.

For Warranty Service, submit a Service Request at <http://eyevac.com/connect/> or contact:

JPaulJones, LP, 7500 Rialto Blvd., Bldg. 1, Suite 110, Austin, TX 78735 or call 512-485-3050.

©2014 JPaulJones, LP Intellectual Property. All rights reserved, JPaulJones, LP, JPaulJones, LP logo and all other marks contained herein are trademarks of JPaulJones, LP Intellectual Property and/ or JPaulJones, LP affiliated companies.

JPAULJONES™

JPaulJones, LP
7500 Rialto Blvd, Bldg. 1, Suite 110
Austin, TX 78735
(512) 485-3050

For service and general inquiries please visit www.eyevac.com/connect

eye  vacTM
TOUCHLESS VACUUM